

**Table 2
Summary of Groundwater Field Parameters - June 2019**

Well ID	Sampling Event	Date Measured	SWL (mbTOC)	BOC (mbTOC)	Dissolved Oxygen (ppm)	Electrical Conductivity (us/cm)	pH	Ox-Red Potential (mV)	Temperature (°C)
GASW_BH7	Event 9 - June 2019	5/06/2019	4.24	6.17	1.4	458.3	5.77	104.5	20.5
GASW_BH10	Event 9 - June 2019	5/06/2019	12.375	25	0.34	914	7.39	-191.7	18.2
GASW_BH11	Event 9 - June 2019	5/06/2019	4.88	9.01	0.9	332.7	5.82	84.7	20.3
CSM_BH02	Event 9 - June 2019	6/06/2019	19.422	34.38	1.22	849	6.98	-51.3	20.2
CSM_BH04	Event 9 - June 2019	11/06/2019	18.452	34.99	0.33	434.3	5.97	17.2	20.9
CSM_BH05	Event 9 - June 2019	11/06/2019	19.375	33.96	0.58	1093	6.5	16.6	19.6
CSM_BH06	Event 9 - June 2019	6/06/2019	20.402	35.42	0.27	995	6.49	-74.7	21.8
CSM_BH08	Event 9 - June 2019	6/06/2019	13.302	35.14	0.22	534	6.61	-30.9	20.5
CSM_BH09S	Event 9 - June 2019	11/06/2019	4.165	6.59	0.5	712	5.82	98.7	20.2
CSM_BH10S	Event 9 - June 2019	11/06/2019	4.13	9.89	0.21	258.1	5.49	261	20.6
SRT_BH047	Event 9 - June 2019	7/06/2019	4.594	6.95	1.56	409.8	7.83	93.8	19.9
SRT_BH052	Event 9 - June 2019	7/06/2019	6.305	7.9	3.43	382.5	7.59	90.8	19.4
SRT_BH059	Event 9 - June 2019	7/06/2019	3	6	5.09	417.1	6.87	154	20.6
SRT_BH063	Event 9 - June 2019	7/06/2019	10.782	14.505	4.37	726	6.6	137.5	20.8
SRT_CBH015	Event 9 - June 2019	7/06/2019	3.958	5.91	0.59	212.7	5.32	269.9	20.9
SRT_CBH017	Event 9 - June 2019	7/06/2019	3.193	4.94	1.68	159.8	6.09	189.4	21

