



Table 2
Summary of Groundwater Field Parameters - July 2021

Well ID	Sampling Event	Date Measured	SWL (mbTOC)	BOC (mbTOC)	Dissolved Oxygen (ppm)	Electrical Conductivity (us/cm)	pH	Ox-Red Potential (mV)	Temperature (°C)	Comments
CSM_BH02	Event 34 - Jul 2021	12/07/2021	26.21	32.65	2.3	905	6.72	146.8	19.7	Brown orange, cloudy, some sediment, no odour/sheen
CSM_BH04	Event 34 - Jul 2021	12/07/2021	21.93	33.2	0.79	452.4	5.94	62.5	20.6	Light brown, trace sediment, no odour/sheen
CSM_BH06	Event 34 - Jul 2021	13/07/2021	26.37	35.4	0.68	947	6.08	74.7	21.6	Brown, cloudy, no odour/sheen
CSM_BH08	Event 34 - Jul 2021	12/07/2021	18.67	35.05	1.9	610	5.83	59.4	20.5	Light brown, some red sediment, no odour/sheen
CSM_BH10S	Event 34 - Jul 2021	12/07/2021	4.04	10.68	0.55	246	5.24	252	21	Brown, cloudy, no odour/sheen
CSM_BH12S	Event 34 - Jul 2021	13/07/2021	4.855	6.51	0.58	575	6.01	19.6	19.5	Grey, cloudy, no odour/sheen
GASW_BH7	Event 34 - Jul 2021	12/07/2021	DRY	6.16	-	-	-	-	-	DRY
GASW_BH10	Event 34 - Jul 2021	12/07/2021	23.75	24.73	-	-	-	-	-	Grey, cloudy, some sediment, organic odour, no sheen (grab sample taken)
GASW_BH11	Event 34 - Jul 2021	13/07/2021	7.16	8.05	5.08	232.7	5.54	180.5	17.9	Brown, cloudy, no odour/sheen (grab sample taken)
GASW_BH23	Event 34 - Jul 2021	13/07/2021	2.325	3.91	0.18	450.7	7.05	-130.2	17.7	Grey, cloudy, hydrocarbon odour, no sheen
GASW_BH25A	Event 34 - Jul 2021	13/07/2021	0.975	2.94	2.84	219.7	7.78	128.3	16.2	Grey, cloudy, hydrocarbon odour, no sheen
SRT_BH047	Event 34 - Jul 2021	14/07/2021	3.95	7.01	2.73	208.9	5.44	250.5	19.5	Brown, cloudy, no odour/sheen
SRT_BH050	Event 34 - Jul 2021	14/07/2021	2.535	2.76	-	-	-	-	-	Light brown, cloudy, no odour/sheen (grab sample taken)
SRT_BH052	Event 34 - Jul 2021	14/07/2021	6.19	7.92	3.91	336.2	6.19	194.5	19.8	Clear, no odour/sheen



Table 1
Summary of Groundwater Analytical Results - July 2021

	Inorganics			Cyanide	Acidity & Alkalinity					Major Ions						Nutrients	Metals								
	pH (Lab)	Total Dissolved Solids	Total Suspended Solids	Cyanide (Total)	Alkalinity (Carbonate as CaCO3)	Alkalinity (Bicarbonate as CaCO3)	Alkalinity (Hydroxide as CaCO3)	Alkalinity (total as CaCO3)	Hardness as CaCO3	Calcium	Magnesium	Potassium	Sodium	Chloride	Sulfate	Ammonia as N	Arsenic (Filtered)	Cadmium (Filtered)	Chromium (III+VI) (Filtered)	Copper (Filtered)	Lead (Filtered)	Manganese (Filtered)	Mercury (Filtered)	Nickel (Filtered)	Zinc (Filtered)
	pH units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
EQL	0.1	10	1	0.004	10	20	20	20	5	0.5	0.5	0.5	0.5	1	5	0.01	0.001	0.0002	0.001	0.001	0.001	0.005	0.0001	0.001	0.005
ADWG 2011 Health (v3.6 updated 2021)				0.08											500		0.01	0.002		2	0.01	0.5	0.001	0.02	
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																									
2-4m																									
4-8m																									
>8m																									
NEPM 2013 Table 1C GILs, Marine Waters				0.004													0.0007	0.0044	0.0013	0.0044		0.0001	0.007	0.015	

Field_ID	Location_Code	Sampled_Date_Time	Sample_Type	8.4	560	3000	<0.004	<10	300	<20	300	460	50	81	4.8	110	150	30	0.02	<0.001	<0.0002	<0.001	<0.001	<0.001	0.094	<0.0001	0.005	0.015
CSM-BH02	CSM_BH02	12/07/2021	Normal	7.8	280	350	<0.004	<10	120	<20	120	79	8	14	2.8	72	66	38	0.1	<0.001	<0.0002	<0.001	<0.001	<0.001	0.37	<0.0001	0.041	0.031
QC01	CSM_BH04	12/07/2021	Field_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	<0.0002	<0.001	<0.001	<0.001	-	<0.0001	0.042	0.03
CSM-BH06	CSM_BH06	12/07/2021	Normal	8.3	580	260	<0.004	<10	150	<20	150	220	32	34	4.6	110	300	28	<0.01	<0.001	<0.0002	<0.001	0.006	<0.001	0.45	<0.0001	0.01	0.042
CSM-BH08	CSM_BH08	12/07/2021	Normal	6.7	340	20	<0.004	<10	110	<20	110	110	13	19	3.8	86	110	44	0.05	<0.001	<0.0002	<0.001	<0.001	<0.001	0.34	<0.0001	0.023	0.024
CSM-BH10S	CSM_BH10S	12/07/2021	Normal	6.7	170	160	<0.004	<10	<20	<20	<20	37	4.8	6.2	2.3	31	24	55	0.18	<0.001	<0.0002	<0.001	<0.001	<0.001	0.49	<0.0001	0.001	<0.005
QC02	CSM_BH10S	12/07/2021	Interlab_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	<0.0001	<0.001	<0.001	<0.001	-	<0.0001	0.001	<0.005
CSM-BH12S	CSM_BH12S	12/07/2021	Normal	7.7	360	140	<0.004	<10	78	<20	78	27	2.5	5	2.1	100	57	120	0.06	0.003	<0.0002	<0.001	<0.001	<0.001	0.45	<0.0001	0.014	0.054
GASW-BH10	GASW_BH10	12/07/2021	Normal	8.2	820	220	<0.004	<10	490	<20	490	430	90	51	10	130	170	<5	0.02	<0.001	<0.0002	<0.001	<0.001	<0.001	0.097	<0.0001	0.001	0.009
GASW-BH11	GASW_BH11	12/07/2021	Normal	7.6	390	1000	<0.004	<10	82	<20	82	38	6.6	5.1	1.5	34	39	40	0.03	<0.001	<0.0002	<0.001	<0.001	<0.001	0.11	<0.0001	<0.001	0.019
GASW-BH23	GASW_BH23	12/07/2021	Normal	8.2	2300	16	<0.004	<10	160	<20	160	220	73	8.3	5.6	17	11	96	0.32	0.001	<0.0002	<0.001	<0.001	<0.001	0.23	0.0002	<0.001	0.032
GASW-BH25A	GASW_BH25A	12/07/2021	Normal	8.1	170	4.1	<0.004	<10	96	<20	96	98	34	3.4	2.5	14	5000	660	0.03	0.003	<0.0002	<0.001	0.003	<0.001	<0.005	<0.0001	<0.001	<0.005
SRT-BH047	SRT_BH047	12/07/2021	Normal	6.8	180	29	<0.004	<10	<20	<20	<20	73	14	9.4	0.7	20	5000	790	0.21	<0.001	<0.0002	<0.001	0.001	<0.001	0.02	<0.0001	0.004	0.027
SRT-BH050	SRT_BH050	12/07/2021	Normal	-	-	-	0.008	-	-	-	-	-	-	-	-	-	-	-	0.02	<0.001	<0.0002	<0.001	0.004	<0.001	-	<0.0001	0.001	0.009
SRT-BH052	SRT_BH052	12/07/2021	Normal	7.5	300	130	<0.004	<10	53	<20	53	62	17	5	1.7	46	47	36	0.03	<0.001	<0.0002	<0.001	<0.001	<0.001	<0.005	<0.0001	<0.001	<0.005



Table 1
Summary of Groundwater Analytical Results - July 2021

	Iron speciation	BTEXN							TRH - NEPM 2013							H - NEPM 2013 - SG Clea					TRH - NEPM 1999				H - NEPM 1999 - SG Clea					
	Ferrous Iron	Benzene	Toluene	Ethylbenzene	Xylene (o)	Xylene (m & p)	Xylene Total	BTEX (Sum of Total) - Lab Calc	Naphthalene (BTEXN suite)	F1 (C6-C10 minus BTEX)	C6-C10 Fraction	F2 (>C10-C16 minus Naphthalene)	>C10-C16 Fraction	F3 (>C16-C34 Fraction)	F4 (>C34-C40 Fraction)	>C10-C40 (Sum of Total)	>C10-C16 SG Cleanup	>C16-C34 SG Cleanup	>C34-C40 SG Cleanup	>C10-C40 (sum) SG Cleanup	C6-C9 Fraction	C10-C14 Fraction	C15-C28 Fraction	C29-C36 Fraction	C10-C36 (Sum of Total)	C10-C14 SG Cleanup	C15-C28 SG Cleanup	C29-C36 SG Cleanup	C10-C36 (sum) SG Cleanup	
EQL	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
	0.05	1	1	1	1	2	3	1	10	20	20	50	50	100	100	100	50	100	100	100	20	50	100	100	100	50	100	100	100	
ADWG 2011 Health (v3.6 updated 2021)		1	800	300			600																							
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																														
2-4m		5000	NL	NL			NL	NL	6000		NL																			
4-8m		5000	NL	NL			NL	NL	6000		NL																			
>8m		5000	NL	NL			NL	NL	7000		NL																			
NEPM 2013 Table 1C GILs, Marine Waters		500							50																					

Field_ID	Location_Code	Sampled_Date_Time	Sample_Type	<0.05	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
CSM-BH02	CSM_BH02	12/07/2021	Normal	<0.05	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
CSM-BH04	CSM_BH04	12/07/2021	Normal	10	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
QC01	CSM_BH04	12/07/2021	Field_D	-	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	-	-	-	-	<20	<50	<100	<100	<100	-	-	-	-
CSM-BH06	CSM_BH06	12/07/2021	Normal	2.2	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
CSM-BH08	CSM_BH08	12/07/2021	Normal	5.7	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
CSM-BH10S	CSM_BH10S	12/07/2021	Normal	<0.05	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
QC02	CSM_BH10S	12/07/2021	Interlab_D	-	<1	<2	<2	<2	<2	<2	<1	<5	<20	<20	<100	<100	<100	<100	<100	-	-	-	-	<20	<50	<100	<50	<50	-	-	-	-
CSM-BH12S	CSM_BH12S	12/07/2021	Normal	6	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
GASW-BH10	GASW_BH10	12/07/2021	Normal	5.2	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	100	100	200	<100	300	<50	100	<100	100	<20	90	200	<100	290	<50	<100	<100	<100
GASW-BH11	GASW_BH11	12/07/2021	Normal	0.19	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	290	290	300	<100	590	140	200	<100	300	<20	160	400	<100	560	<50	200	<100	200
GASW-BH23	GASW_BH23	12/07/2021	Normal	5.9	31	<1	1	<1	<2	<3	-	<10	30	60	120	120	300	<100	420	<50	<100	<100	<100	50	100	200	100	400	<50	<100	<100	<100
GASW-BH25A	GASW_BH25A	12/07/2021	Normal	<0.05	2	<1	<1	<1	<2	<3	-	<10	<20	<20	60	60	100	<100	160	<50	<100	<100	<100	<20	50	100	<100	150	<50	<100	<100	<100
SRT-BH047	SRT_BH047	12/07/2021	Normal	<0.05	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
SRT-BH050	SRT_BH050	12/07/2021	Normal	-	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	-	-	-	-	<20	<50	<100	<100	<100	-	-	-	-
SRT-BH052	SRT_BH052	12/07/2021	Normal	<0.05	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100



Table 1
Summary of Groundwater Analytical Results - July 2021

	PAHs - standard 16																	PAHs - extended					
	Acenaphthene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benzo(a)pyrene	Benzo[b+g]fluoranthene	Benzo(k)fluoranthene	Benzo(g,h,i)perylene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-c,d)pyrene	Naphthalene-PAH	Phenanthrene	Pyrene	PAHs (Sum of total) - Lab calc	Total 8 PAHs (as BaP TEQ)(zero LOR) - Lab Calc	2-methylnaphthalene	3-methylcholanthrene	7,12-dimethylbenz(a)anthracene	Benzo(e)pyrene	Perylene
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EQL	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.05	0.1	0.1	0.1	0.1	0.1
ADWG 2011 Health (v3.6 updated 2021)					0.01												0.01						
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																							
2-4m														NL									
4-8m														NL									
>8m														NL									
NEPM 2013 Table 1C GILs, Marine Waters													50										

Field_ID	Location_Code	Sampled_Date_Time	Sample_Type	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
CSM-BH02	CSM_BH02	12/07/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
CSM-BH04	CSM_BH04	12/07/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
QC01	CSM_BH04	12/07/2021	Field_D	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
CSM-BH06	CSM_BH06	12/07/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
CSM-BH08	CSM_BH08	12/07/2021	Normal	<0.01	0.09	0.03	0.18	0.39	0.28	0.26	0.18	0.22	0.04	0.27	<0.01	0.22	0.03	0.04	0.37	6.25	-	-	-	-
CSM-BH10S	CSM_BH10S	12/07/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
QC02	CSM_BH10S	12/07/2021	Interlab_D	<0.1	<0.1	<0.1	<0.1	<0.05	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.05	<0.1	<0.1	<0.1	<0.1	<0.1
CSM-BH12S	CSM_BH12S	12/07/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
GASW-BH10	GASW_BH10	12/07/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.03	<0.01	<0.01	<0.01	<0.01	<0.01
GASW-BH11	GASW_BH11	12/07/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
GASW-BH23	GASW_BH23	12/07/2021	Normal	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.03	<0.01	<0.01	0.06	<0.01	0.03	0.16	-	-	-	-
GASW-BH25A	GASW_BH25A	12/07/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
SRT-BH047	SRT_BH047	12/07/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
SRT-BH050	SRT_BH050	12/07/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
SRT-BH052	SRT_BH052	12/07/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-



Table 1
Summary of Groundwater Analytical Results - July 2021

	Phenols - Halogenated									Phenols - Non-Halogenated										Herbicides	SVOCs	
	2-Chlorophenol	2,4-Dichlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,6-Dichlorophenol	4-Chloro-3-methylphenol	Pentachlorophenol	tetrachlorophenols	Phenols (Total Halogenated)	Phenol	2-Nitrophenol	2-Methylphenol (o-Cresol)	3,4-Methylphenol (m,p-cresol)	2,4-Dimethylphenol	2,4-Dinitrophenol	4,6-Dinitro-2-methylphenol	4,6-Dinitro-o-cyclohexyl phenol	4-Nitrophenol	Cresol Total			Phenols (Total Non Halogenated)
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EQL	3	3	10	10	3	10	10	30	10	3	10	3	6	3	30	30	100	30	2	100	100	0.1
ADWG 2011 Health (v3.6 updated 2021)	300	200		20					10													
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																						
2-4m																						
4-8m																						
>8m																						
NEPM 2013 Table 1C GILs, Marine Waters									11	400												

Field_ID	Location_Code	Sampled_Date_Time	Sample_Type	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<6	<100	<100	-
CSM-BH02	CSM_BH02	12/07/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<6	<100	<100	-
CSM-BH04	CSM_BH04	12/07/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<6	<100	<100	-
QC01	CSM_BH04	12/07/2021	Field_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CSM-BH06	CSM_BH06	12/07/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<6	<100	<100	-
CSM-BH08	CSM_BH08	12/07/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<6	<100	<100	-
CSM-BH10S	CSM_BH10S	12/07/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<6	<100	<100	-
QC02	CSM_BH10S	12/07/2021	Interlab_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.1	-
CSM-BH12S	CSM_BH12S	12/07/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<6	<100	<100	-
GASW-BH10	GASW_BH10	12/07/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<6	<100	<100	-
GASW-BH11	GASW_BH11	12/07/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<6	<100	<100	-
GASW-BH23	GASW_BH23	12/07/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<6	<100	<100	-
GASW-BH25A	GASW_BH25A	12/07/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<6	<100	<100	-
SRT-BH047	SRT_BH047	12/07/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<6	<100	<100	-
SRT-BH050	SRT_BH050	12/07/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<6	<100	<100	-
SRT-BH052	SRT_BH052	12/07/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<6	<100	<100	-