



Table 2
Summary of Groundwater Field Parameters - October 2021

Well ID	Sampling Event	Date Measured	SWL (mbTOC)	BOC (mbTOC)	Dissolved Oxygen (ppm)	Electrical Conductivity (us/cm)	pH	Ox-Red Potential (mV)	Temperature (°C)	Comments
CSM_BH02	Event 37 - Oct 2021	27/10/2021	26.243	32.81	2.43	692	6.11	114.7	22.5	Orange brown, cloudy, some sediments, no odour/sheen
CSM_BH04	Event 37 - Oct 2021	27/10/2021	21.885	33.23	0.41	539	6.05	48.2	25.4	Brown, cloudy, no odour/sheen
CSM_BH06	Event 37 - Oct 2021	28/10/2021	26.335	35.43	4.87	1002	6.24	59	23.5	Orange, cloudy, some sediment, no odour/sheen
CSM_BH08	Event 37 - Oct 2021	27/10/2021	18.46	35.16	0.43	613	6.16	-8.1	20.9	Light orange, slightly cloudy, no odour/sheen
CSM_BH10S	Event 37 - Oct 2021	27/10/2021	4.44	9.69	0.24	237.2	5.38	173.2	21.5	Light brown, cloudy, no odour/sheen
CSM_BH12S	Event 37 - Oct 2021	28/10/2021	4.795	6.505	0.19	662	6.13	40.9	20.2	Cloudy, no odour/sheen
CSM_BH13	Event 37 - Oct 2021	28/10/2021	20.245	33.67	0.28	1052	6.68	-37.8	22.3	Red brown, cloudy, some sediments, no odour/sheen
CSM_BH14S	Event 37 - Oct 2021	28/10/2021	2.47	5.645	2.58	176.1	6.75	69.6	21.4	Clear, no odour/sheen
GASW_BH7	Event 37 - Oct 2021	29/10/2021	DRY	6.22	-	-	-	-	-	DRY
GASW_BH10	Event 37 - Oct 2021	29/10/2021	23.72	24.73	1.4	1211	6.7	-62.5	21.6	Grey, cloudy, some sediment, organic odour, no sheen (grab sample taken)
GASW_BH11	Event 37 - Oct 2021	28/10/2021	7.16	8.05	5.02	238.9	5.74	126.8	19.6	Brown, cloudy, no odour/sheen
GASW_BH23	Event 37 - Oct 2021	28/10/2021	2.905	3.915	0.25	689	7.29	-156.5	19.9	Grey, cloudy, some black sediment, hydrocarbon odour, no sheen
GASW_BH25A	Event 37 - Oct 2021	28/10/2021	1.465	2.95	3.46	210.8	8.11	-50.6	19.5	Clear to slightly cloudy, some black sediment, hydrocarbon odour, no sheen
SRT_BH047	Event 37 - Oct 2021	29/10/2021	4.555	7.035	2.59	200.6	5.58	155.5	20	Clear, no odour/sheen
SRT_BH050	Event 37 - Oct 2021	29/10/2021	DRY	2.77	-	-	-	-	-	DRY
SRT_BH052	Event 37 - Oct 2021	29/10/2021	6.21	7.895	4.04	316.2	5.91	129.3	20.2	Clear, no odour/sheen



Table 1
Summary of Groundwater Analytical Results - October 2021

	Inorganics			Cyanide	Acidity & Alkalinity					Major Ions						Nutrients	Metals								
	pH (Lab)	Total Dissolved Solids	Total Suspended Solids	Cyanide (Total)	Alkalinity (Carbonate as CaCO3)	Alkalinity (Bicarbonate as CaCO3)	Alkalinity (Hydroxide as CaCO3)	Alkalinity (total as CaCO3)	Hardness as CaCO3	Calcium	Magnesium	Potassium	Sodium	Chloride	Sulfate	Ammonia as N	Arsenic (Filtered)	Cadmium (Filtered)	Chromium (III+VI) (Filtered)	Copper (Filtered)	Lead (Filtered)	Manganese (Filtered)	Mercury (Filtered)	Nickel (Filtered)	Zinc (Filtered)
	pH units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	
EQL	0.1	10	5	0.004	10	20	20	20	5	0.5	0.5	0.5	0.5	1	5	0.01	0.001	0.0002	0.001	0.001	0.001	0.005	0.0001	0.001	0.005
ADWG 2011 Recreational (v3.6 updated 2021)				0.8										5000		0.1	0.02	0.0044	0.0013	0.0044	5	0.01	0.01	0.2	
ANZG (2018) - MW - 95% species protection (updated 1/10/2021)				0.004											0.91	0.0055	0.0044	0.0013	0.0044		0.0004	0.07	0.008		
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																									
2-4m																									
4-8m																									
>8m																									

Field ID	Location Code	Sampled Date Time	Sample Type	pH	TDS	TSS	Cyanide	Alk1	Alk2	Alk3	Alk4	Hardness	Calcium	Magnesium	Potassium	Sodium	Chloride	Sulfate	Ammonia	Arsenic	Cadmium	Chromium	Copper	Lead	Manganese	Mercury	Nickel	Zinc
CSM BH02	CSM BH02	27/10/2021	Normal	7.8	<10	18,000	<0.004	<10	190	<20	190	340	47	55	4.1	85	100	33	0.02	<0.001	<0.0002	<0.001	0.003	<0.001	0.25	<0.0001	0.004	0.011
CSM BH04	CSM BH04	27/10/2021	Normal	7.2	80	6400	0.004	<10	87	<20	87	100	10	19	2.5	73	90	34	0.04	<0.001	<0.0002	<0.001	<0.001	<0.001	0.47	<0.0001	0.011	0.015
CSM BH06	CSM BH06	28/10/2021	Normal	7.9	500	120	0.004	<10	140	<20	140	220	33	34	4.4	110	220	27	0.07	<0.001	<0.0002	<0.001	0.009	<0.001	0.41	<0.0001	0.005	0.04
CSM BH08	CSM BH08	27/10/2021	Normal	8.1	280	20	0.004	<10	110	<20	110	110	13	18	4.1	83	110	89	0.24	<0.001	<0.0002	<0.001	<0.001	<0.001	0.39	<0.0001	0.002	<0.005
QC02	CSM BH08	27/10/2021	Interlab D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	<0.0001	<0.001	<0.001	<0.001	-	<0.0001	0.002	<0.005
CSM BH10S	CSM BH10S	27/10/2021	Normal	6.9	140	78	<0.004	<10	<20	<20	<20	35	3.9	6.2	2.5	33	24	89	0.01	<0.001	<0.0002	<0.001	<0.001	<0.001	0.59	<0.0001	0.002	<0.005
CSM BH12S	CSM BH12S	28/10/2021	Normal	7.5	300	74	<0.004	<10	60	<20	60	32	2.3	6.5	2.1	120	74	160	0.12	0.002	<0.0002	<0.001	<0.001	<0.001	0.84	<0.0001	0.027	0.11
CSM BH13	CSM BH13	28/10/2021	Normal	7.1	780	78	<0.004	<10	180	<20	180	260	60	26	5.3	140	210	51	0.12	0.001	<0.0002	<0.001	<0.001	<0.001	0.52	<0.0001	0.011	0.017
CSM BH14S	CSM BH14S	28/10/2021	Normal	6.9	150	8.6	<0.004	<10	45	<20	45	58	17	3.6	1.8	13	26	13	0.09	<0.001	<0.0002	<0.001	<0.001	<0.001	<0.005	<0.0001	<0.001	<0.005
QC01	CSM BH14S	28/10/2021	Field D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	<0.0002	<0.001	<0.001	<0.001	-	<0.0001	<0.001	<0.005
GASW BH10	GASW BH10	29/10/2021	Normal	7.8	660	1100	<0.004	<10	400	<20	400	410	90	44	12	120	170	8.7	0.06	0.001	<0.0002	<0.001	<0.001	<0.001	0.1	<0.0001	<0.001	<0.005
GASW BH11	GASW BH11	28/10/2021	Normal	7.7	240	280	<0.004	<10	95	<20	95	240	76	11	1.9	34	74	56	0.19	<0.001	<0.0002	<0.001	0.001	<0.001	0.086	<0.0001	0.001	0.063
GASW BH23	GASW BH23	28/10/2021	Normal	7.5	480	16	<0.004	<10	250	<20	250	390	140	10	10	20	54	160	0.52	0.003	<0.0002	<0.001	<0.001	<0.001	0.38	<0.0001	<0.001	0.022
GASW BH25A	GASW BH25A	28/10/2021	Normal	7.4	130	5.4	<0.004	<10	72	<20	72	84	29	2.7	2.8	13	38	19	0.24	0.004	<0.0002	<0.001	0.003	<0.001	<0.005	<0.0001	<0.001	<0.005
SRT BH047	SRT BH047	29/10/2021	Normal	6.4	220	26	0.004	<10	<20	<20	<20	81	18	8.6	0.7	23	20	21	0.11	<0.001	<0.0002	<0.001	0.001	<0.001	0.015	<0.0001	0.003	0.022
SRT BH052	SRT BH052	29/10/2021	Normal	6.7	240	190	<0.004	<10	40	<20	40	48	13	3.6	1.8	49	48	40	0.08	<0.001	<0.0002	<0.001	<0.001	<0.001	0.006	<0.0001	<0.001	<0.005



Table 1
Summary of Groundwater Analytical Results - October 2021

	Iron speciation	BTEXN							TRH - NEPM 2013							I - NEPM 2013 - SG Clea				TRH - NEPM 1999				I - NEPM 1999 - SG Clea						
	Ferrous Iron	Benzene	Toluene	Ethylbenzene	Xylene (o)	Xylene (m & p)	Xylene Total	BTEX (Sum of Total) - Lab Calc	Naphthalene (BTEXN suite)	F1 (C6-C10 minus BTEX)	C6-C10 Fraction	F2 (>C10-C16 minus Naphthalene)	>C10-C16 Fraction	F3 (>C16-C34 Fraction)	F4 (>C34-C40 Fraction)	>C10-C40 (Sum of Total)	>C10-C16 SG Cleanup	>C16-C34 SG Cleanup	>C34-C40 SG Cleanup	>C10-C40 (sum) SG Cleanup	C6-C9 Fraction	C10-C14 Fraction	C15-C28 Fraction	C29-C36 Fraction	C10-C36 (Sum of Total)	C10-C14 SG Cleanup	C15-C28 SG Cleanup	C29-C36 SG Cleanup	C10-C36 (sum) SG Cleanup	
EQL	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
ADWG 2011 Recreational (v3.6 updated 2021)	0.05	10	8000	3000	1	2	3	1	10	20	20	50	50	100	100	100	50	100	100	100	20	50	100	100	100	50	100	100	100	
ANZG (2018) - MW - 95% species protection (updated 1/10/2021)		700	180	80					70																					
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																														
2-4m		5000	NL	NL			NL		NL	6000		NL																		
4-8m		5000	NL	NL			NL		NL	6000		NL																		
>8m		5000	NL	NL			NL		NL	7000		NL																		

Field ID	Location Code	Sampled Date Time	Sample Type		<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
CSM BH02	CSM BH02	27/10/2021	Normal	<0.05	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
CSM BH04	CSM BH04	27/10/2021	Normal	3.7	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
CSM BH06	CSM BH06	28/10/2021	Normal	0.75	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
CSM BH08	CSM BH08	27/10/2021	Normal	6	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
QC02	CSM BH08	27/10/2021	Interlab D	-	<1	<2	<2	<2	<2	<2	<1	<5	<20	<20	<100	<100	<100	<100	<100	-	-	-	-	<20	<50	<100	<50	<50	-	-	-	-
CSM BH10S	CSM BH10S	27/10/2021	Normal	<0.05	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
CSM BH12S	CSM BH12S	28/10/2021	Normal	8.8	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
CSM BH13	CSM BH13	28/10/2021	Normal	2.7	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
CSM BH14S	CSM BH14S	28/10/2021	Normal	0.08	<1	<1	<1	<1	<2	<3	-	<10	40	40	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
QC01	CSM BH14S	28/10/2021	Field D	-	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	-	-	-	-	<20	<50	<100	<100	<100	-	-	-	-
GASW BH10	GASW BH10	29/10/2021	Normal	5.4	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
GASW BH11	GASW BH11	28/10/2021	Normal	0.13	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
GASW BH23	GASW BH23	28/10/2021	Normal	11	36	<1	3	<1	<2	<3	-	<10	20	60	<50	<50	<100	<100	<100	<50	<100	<100	<100	60	<50	<100	<100	<100	<50	<100	<100	<100
GASW BH25A	GASW BH25A	28/10/2021	Normal	<0.05	70	33	10	11	16	28	-	<10	90	230	<50	<50	<100	<100	<100	<50	<100	<100	<100	190	<50	<100	<100	<100	<50	<100	<100	<100
SRT BH047	SRT BH047	29/10/2021	Normal	<0.05	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
SRT BH052	SRT BH052	29/10/2021	Normal	<0.05	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100



Table 1
Summary of Groundwater Analytical Results - October 2021

	PAHs - standard 16																	
	Acenaphthene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benzo(a)pyrene	Benzo[b+j]fluoranthene	Benzo(k)fluoranthene	Benzo(g,h,i)perylene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-c,d)pyrene	Naphthalene-PAH	Phenanthrene	Pyrene	PAHs (Sum of total) - Lab calc	Total 8 PAHs (as BaP TEQ)(zero LOR) - Lab Ca
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EQL	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.05
ADWG 2011 Recreational (v3.6 updated 2021)					0.1													
ANZG (2018) - MW - 95% species protection (updated 1/10/2021)					0.2						1.4			70	2			
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																		
2-4m														NL				
4-8m														NL				
>8m														NL				

Field ID	Location Code	Sampled Date Time	Sample Type	Acenaphthene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benzo(a)pyrene	Benzo[b+j]fluoranthene	Benzo(k)fluoranthene	Benzo(g,h,i)perylene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-c,d)pyrene	Naphthalene-PAH	Phenanthrene	Pyrene	PAHs (Sum of total) - Lab calc	Total 8 PAHs (as BaP TEQ)(zero LOR) - Lab Ca
CSM BH02	CSM BH02	27/10/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-
CSM BH04	CSM BH04	27/10/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-
CSM BH06	CSM BH06	28/10/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-
CSM BH08	CSM BH08	27/10/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-
QC02	CSM BH08	27/10/2021	Interlab D	<0.1	<0.1	<0.1	<0.1	0.1	0.1	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	0.1	0.4	0.1
CSM BH10S	CSM BH10S	27/10/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-
CSM BH12S	CSM BH12S	28/10/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-
CSM BH13	CSM BH13	28/10/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-
CSM BH14S	CSM BH14S	28/10/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-
QC01	CSM BH14S	28/10/2021	Field D	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-
GASW BH10	GASW BH10	29/10/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-
GASW BH11	GASW BH11	28/10/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-
GASW BH23	GASW BH23	28/10/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-
GASW BH25A	GASW BH25A	28/10/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-
SRT BH047	SRT BH047	29/10/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-
SRT BH052	SRT BH052	29/10/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-



Table 1
Summary of Groundwater Analytical Results - October 2021

	PAHs - extended					Phenols - Halogenated										Phenols - Non-Halogenated										Herbicides	SVOCs	
	2-methylnaphthalene	3-methylcholanthrene	7,12-dimethylbenz(a)anthracene	Benzo(e)pyrene	Perylene	2-Chlorophenol	2,4-Dichlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,6-Dichlorophenol	4-Chloro-3-methylphenol	Pentachlorophenol	tetrachlorophenols	Phenols(halogenated) - Lab Calc	Phenol	2-Nitrophenol	2-Methylphenol (o-Cresol)	3,4-Methylphenol (m,p-cresol)	2,4-Dimethylphenol	2,4-Dinitrophenol	4,6-Dinitro-2-methylphenol	4,6-Dinitro-o-cyclohexyl phenol	4-Nitrophenol	Cresol Total	Phenols (Total Non Halogenated)	Dinoseb	Coronene	
EQL	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L
ADWG 2011 Recreational (v3.6 updated 2021)	0.1	0.1	0.1	0.1	0.1	3	3	10	10	3	10	30	10	3	10	3	6	3	30	30	100	30	10	100				
ANZG (2018) - MW - 95% species protection (updated 1/10/2021)														400														
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																												
2-4m																												
4-8m																												
>8m																												

Field ID	Location Code	Sampled Date Time	Sample Type	2-methylnaphthalene	3-methylcholanthrene	7,12-dimethylbenz(a)anthracene	Benzo(e)pyrene	Perylene	2-Chlorophenol	2,4-Dichlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,6-Dichlorophenol	4-Chloro-3-methylphenol	Pentachlorophenol	tetrachlorophenols	Phenols(halogenated) - Lab Calc	Phenol	2-Nitrophenol	2-Methylphenol (o-Cresol)	3,4-Methylphenol (m,p-cresol)	2,4-Dimethylphenol	2,4-Dinitrophenol	4,6-Dinitro-2-methylphenol	4,6-Dinitro-o-cyclohexyl phenol	4-Nitrophenol	Cresol Total	Phenols (Total Non Halogenated)	Dinoseb	Coronene	
CSM BH02	CSM BH02	27/10/2021	Normal	-	-	-	-	-	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-	-
CSM BH04	CSM BH04	27/10/2021	Normal	-	-	-	-	-	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-	-
CSM BH06	CSM BH06	28/10/2021	Normal	-	-	-	-	-	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-	-
CSM BH08	CSM BH08	27/10/2021	Normal	-	-	-	-	-	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-	-
QC02	CSM BH08	27/10/2021	Interlab D	<0.1	<0.1	<0.1	<0.1	<0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.1
CSM BH10S	CSM BH10S	27/10/2021	Normal	-	-	-	-	-	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-	-
CSM BH12S	CSM BH12S	28/10/2021	Normal	-	-	-	-	-	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-	-
CSM BH13	CSM BH13	28/10/2021	Normal	-	-	-	-	-	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-	-
CSM BH14S	CSM BH14S	28/10/2021	Normal	-	-	-	-	-	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-	-
QC01	CSM BH14S	28/10/2021	Field D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GASW BH10	GASW BH10	29/10/2021	Normal	-	-	-	-	-	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-	-
GASW BH11	GASW BH11	28/10/2021	Normal	-	-	-	-	-	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-	-
GASW BH23	GASW BH23	28/10/2021	Normal	-	-	-	-	-	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-	-
GASW BH25A	GASW BH25A	28/10/2021	Normal	-	-	-	-	-	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-	-
SRT BH047	SRT BH047	29/10/2021	Normal	-	-	-	-	-	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-	-
SRT BH052	SRT BH052	29/10/2021	Normal	-	-	-	-	-	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-	-