



Table 2
Summary of Groundwater Field Parameters - November 2021

Well ID	Sampling Event	Date Measured	SWL (mbTOC)	BOC (mbTOC)	Dissolved Oxygen (ppm)	Electrical Conductivity (us/cm)	pH	Ox-Red Potential (mV)	Temperature (°C)	Comments
CSM_BH02	Event 38 - Nov 2021	25/11/2021	25.985	32.94	2.54	835	6.78	159.7	20.2	Brown, some sediment, no odour/sheen
CSM_BH04	Event 38 - Nov 2021	23/11/2021	21.91	33.26	0.52	475.4	5.95	50.2	20.8	Brown, cloudy, high sediments, no odour/sheen
CSM_BH06	Event 38 - Nov 2021	25/11/2021	26.1	35.84	1.09	974	6.3	134.4	22.6	Orange, slightly cloudy, no odour/sheen
CSM_BH08	Event 38 - Nov 2021	24/11/2021	18.285	35.32	0.39	626	5.5	54.9	20.8	Light brown, some sediment, no odour/sheen
CSM_BH10S	Event 38 - Nov 2021	23/11/2021	4.23	9.7	0.58	251.2	5.4	188.9	20.8	Light brown, slightly cloudy, no odour/sheen
CSM_BH12S	Event 38 - Nov 2021	24/11/2021	4.7	6.49	0.33	643	6.47	58.7	21.2	Slightly cloudy, no odour/sheen
CSM_BH13	Event 38 - Nov 2021	25/11/2021	22.155	33.7	0.4	1042	6.72	-10.7	22.1	Dark orange, some suspended sediments, no odour/sheen
CSM_BH14S	Event 38 - Nov 2021	25/11/2021	2.46	5.635	2.19	162.7	6.61	122.7	20.8	Clear, no odour/sheen
GASW_BH7	Event 38 - Nov 2021	23/11/2021	DRY	6.19	-	-	-	-	-	DRY
GASW_BH10	Event 38 - Nov 2021	24/11/2021	23.745	24.75	-	-	-	-	-	Grey, cloudy, slight organic odour, no sheen (grab sample taken)
GASW_BH23	Event 38 - Nov 2021	23/11/2021	2.15	3.91	0.3	555	6.96	-169	20.7	Clear, hydrocarbon odour, slight sheen
SRT_BH047	Event 38 - Nov 2021	24/11/2021	3.68	7.04	2.45	190.5	5.39	198.9	20.4	Slightly cloudy, no odour/sheen
SRT_BH050	Event 38 - Nov 2021	25/11/2021	2.525	2.76	-	-	-	-	-	Orange, no odour/sheen (grab sample taken)
SRT_BH052	Event 38 - Nov 2021	24/11/2021	6.16	7.92	2.51	320.5	5.92	144.9	20.7	Brown, cloudy, no odour/sheen



Table 1
Summary of Groundwater Analytical Results - November 2021

	Inorganics			Cyanide	Acidity & Alkalinity					Major Ions						Nutrients	Metals								
	pH (Lab)	Total Dissolved Solids	Total Suspended Solids	Cyanide (Total)	Alkalinity (Carbonate as CaCO3)	Alkalinity (Bicarbonate as CaCO3)	Alkalinity (Hydroxide as CaCO3)	Alkalinity (total as CaCO3)	Hardness as CaCO3	Calcium	Magnesium	Potassium	Sodium	Chloride	Sulfate	Ammonia as N	Arsenic (Filtered)	Cadmium (Filtered)	Chromium (III+VI) (Filtered)	Copper (Filtered)	Lead (Filtered)	Manganese	Mercury (Filtered)	Nickel (Filtered)	Zinc (Filtered)
	pH units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
EQL	0.1	10	5	0.004	10	20	20	20	5	0.5	0.5	0.5	0.5	1	5	0.01	0.001	0.0002	0.001	0.001	0.001	0.005	0.0001	0.001	0.005
ADWG 2011 Recreational (v3.6 updated 2021)				0.8											5000		0.1	0.02	20	0.1	5	0.01	0.2		
ANZG (2018) - MW - 95% species protection (updated 1/10/2021)				0.004											0.91		0.0055	0.0044	0.0013	0.0044			0.0004	0.07	0.008
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																									
2-4m																									
4-8m																									
>8m																									

Field_ID	Location_Code	Sampled_Date_Time	Sample_Type	pH	TDS	TSS	Cyanide	Alk1	Alk2	Alk3	Alk4	Hardness	Calcium	Magnesium	Potassium	Sodium	Chloride	Sulfate	Ammonia	Arsenic	Cadmium	Chromium	Copper	Lead	Manganese	Mercury	Nickel	Zinc
CSM BH02	CSM_BH02	25/11/2021	Normal	7.2	340	2400	0.15	<10	250	<20	250	210	35	30	4.8	92	130	26	0.03	<0.001	<0.0002	<0.001	<0.001	<0.001	0.63	<0.0001	0.005	<0.005
CSM BH04	CSM_BH04	23/11/2021	Normal	7	280	510	<0.004	<10	110	<20	110	62	6.1	11	2.9	68	63	50	0.04	<0.001	<0.0002	<0.001	0.001	<0.001	0.7	<0.0001	0.014	0.046
CSM BH06	CSM_BH06	25/11/2021	Normal	7.1	500	190	0.011	<10	150	<20	150	200	32	30	4.9	97	230	21	0.07	<0.001	<0.0002	<0.001	0.002	<0.001	0.21	<0.0001	0.003	0.005
CSM BH08	CSM_BH08	24/11/2021	Normal	5.8	150	110	<0.004	<10	99	<20	99	72	8.5	12	3.9	68	93	35	0.04	<0.001	<0.0002	<0.001	0.01	<0.001	0.46	<0.0001	0.057	0.09
QC01	CSM_BH08	24/11/2021	Field_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	<0.0002	<0.001	0.015	0.001	-	<0.0001	0.046	0.17
CSM BH10S	CSM_BH10S	23/11/2021	Normal	6.4	150	42	0.005	<10	25	<20	25	45	7.7	6.4	2.8	26	27	50	0.06	<0.001	<0.0002	<0.001	<0.001	<0.001	0.58	<0.0001	0.002	<0.005
CSM BH12S	CSM_BH12S	24/11/2021	Normal	6.6	370	66	0.005	<10	60	<20	60	31	2.1	6.3	2.1	100	80	140	0.03	0.001	<0.0002	<0.001	<0.001	<0.001	0.81	<0.0001	0.022	0.094
QC02	CSM_BH12S	24/11/2021	Interlab_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	<0.0001	<0.001	<0.001	<0.001	-	<0.0001	0.019	0.076
CSM BH13	CSM_BH13	25/11/2021	Normal	7.5	630	43	<0.004	<10	170	<20	170	220	50	22	5.7	110	230	40	0.03	0.001	<0.0002	<0.001	0.003	<0.001	0.6	<0.0001	0.012	0.007
CSM BH14S	CSM_BH14S	25/11/2021	Normal	6.9	82	9.6	<0.004	<10	46	<20	46	55	17	3	1.8	11	25	7.4	<0.01	<0.001	<0.0002	<0.001	0.004	<0.001	0.012	<0.0001	<0.001	<0.005
GASW BH10	GASW_BH10	24/11/2021	Normal	7.2	660	6500	<0.004	<10	450	<20	450	340	81	34	11	100	180	<5	0.03	0.002	<0.0002	<0.001	0.019	<0.001	0.51	<0.0001	0.002	0.031
GASW BH23	GASW_BH23	23/11/2021	Normal	7.6	360	16	0.005	<10	190	<20	190	270	91	9.7	6.7	20	11	110	0.19	0.002	<0.0002	<0.001	<0.001	<0.001	0.21	<0.0001	<0.001	0.033
SRT BH047	SRT_BH047	24/11/2021	Normal	6.1	180	34	0.004	<10	<20	<20	<20	43	5	7.4	0.6	18	20	14	0.02	<0.001	<0.0002	<0.001	0.003	<0.001	0.086	<0.0001	0.004	0.034
SRT BH050	SRT_BH050	25/11/2021	Normal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SRT BH052	SRT_BH052	24/11/2021	Normal	6.9	240	44	<0.004	<10	39	<20	39	46	13	3.5	1.8	43	48	36	0.03	<0.001	<0.0002	<0.001	<0.001	<0.001	0.043	<0.0001	<0.001	<0.005



Table 1
Summary of Groundwater Analytical Results - November 2021

	Iron speciation	BTEXN								TRH - NEPM 2013							I - NEPM 2013 - SG Clea				TRH - NEPM 1999				I - NEPM 1999 - SG Clea					
	Ferrous Iron	Benzene	Toluene	Ethylbenzene	Xylene (o)	Xylene (m & p)	Xylene Total	BTEX (Sum of Total) - Lab Calc	Naphthalene (BTEXN suite)	F1 (C6-C10 minus BTEX)	C6-C10 Fraction	F2 (>C10-C16 minus Naphthalene)	>C10-C16 Fraction	F3 (>C16-C34 Fraction)	F4 (>C34-C40 Fraction)	>C10-C40 (Sum of Total)	>C10-C16 SG Cleanup	>C16-C34 SG Cleanup	>C34-C40 SG Cleanup	>C10-C40 (sum) SG Cleanup	C6-C9 Fraction	C10-C14 Fraction	C15-C28 Fraction	C29-C36 Fraction	C10-C36 (Sum of Total)	C10-C14 SG Cleanup	C15-C28 SG Cleanup	C29-C36 SG Cleanup	C10-C36 (sum) SG Cleanup	
	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EQL	0.05	1	1	1	1	2	3	1	10	20	20	50	50	100	100	100	50	100	100	100	20	50	100	100	100	50	100	100	100	
ADWG 2011 Recreational (v3.6 updated 2021)		10	8000	3000			6000																							
ANZG (2018) - MW - 95% species protection (updated 1/10/2021)		700	180	80				70																						
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																														
2-4m		5000	NL	NL			NL	NL	6000	NL																				
4-8m		5000	NL	NL			NL	NL	6000	NL																				
>8m		5000	NL	NL			NL	NL	7000	NL																				

Field_ID	Location_Code	Sampled_Date_Time	Sample_Type		<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
CSM BH02	CSM_BH02	25/11/2021	Normal	0.09	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
CSM BH04	CSM_BH04	23/11/2021	Normal	1.6	<1	<1	<1	<1	<2	<3	-	-	-	-	-	-	-	-	-	-	-	-	-	<20	-	-	-	-	-	-	-	-
CSM BH06	CSM_BH06	25/11/2021	Normal	0.35	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
CSM BH08	CSM_BH08	24/11/2021	Normal	<0.05	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
QC01	CSM_BH08	24/11/2021	Field_D	-	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	-	-	-	-	<20	<50	<100	<100	<100	-	-	-	-
CSM BH10S	CSM_BH10S	23/11/2021	Normal	<0.05	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
CSM BH12S	CSM_BH12S	24/11/2021	Normal	5.4	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
QC02	CSM_BH12S	24/11/2021	Interlab_D	-	<1	<2	<2	<2	<2	<3	<1	<5	<20	<20	<100	<100	<100	<100	<100	-	-	-	-	<20	<50	<100	<50	<50	-	-	-	-
CSM BH13	CSM_BH13	25/11/2021	Normal	0.5	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	700	<100	700	<50	600	<100	600	<20	<50	700	<100	700	<50	600	<100	600
CSM BH14S	CSM_BH14S	25/11/2021	Normal	0.07	<1	<1	<1	<1	<2	<3	-	<10	30	30	<50	<50	300	<100	300	<50	300	<100	300	30	<50	300	<100	300	<50	200	<100	200
GASW BH10	GASW_BH10	24/11/2021	Normal	-	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	1100	1100	1200	100	2400	<50	1100	<100	1100	<20	1100	900	300	2300	<50	900	200	1100
GASW BH23	GASW_BH23	23/11/2021	Normal	6.8	11	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	800	<100	800	<50	700	<100	700	<20	<50	700	<100	700	<50	600	<100	600
SRT BH047	SRT_BH047	24/11/2021	Normal	<0.05	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
SRT BH050	SRT_BH050	25/11/2021	Normal	-	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
SRT BH052	SRT_BH052	24/11/2021	Normal	<0.05	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	1000	<100	1000	<50	900	<100	900	<20	<50	900	200	1100	<50	800	100	900



Table 1
Summary of Groundwater Analytical Results - November 2021

	PAHs - standard 16																		PAHs - extended				
	Acenaphthene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benzo(a)pyrene	Benzo[b+j]fluoranthene	Benzo(k)fluoranthene	Benzo(g,h,i)perylene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-c,d)pyrene	Naphthalene-PAH	Phenanthrene	Pyrene	PAHs (Sum of total) - Lab calc	Total 8 PAHs (as BaP TEQ)(zero LOR) - Lab Calc	2-methylnaphthalene	3-methylcholanthrene	7,12-dimethylbenz(a)anthracene	Benzo(e)pyrene	Perylene
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EQL	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.05	0.1	0.1	0.1	0.1	0.1
ADWG 2011 Recreational (v3.6 updated 2021)					0.1																		
ANZG (2018) - MW - 95% species protection (updated 1/10/2021)					0.2						1.4			70	2								
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																							
2-4m														NL									
4-8m														NL									
>8m														NL									

Field_ID	Location_Code	Sampled_Date_Time	Sample_Type	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
CSM BH02	CSM_BH02	25/11/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
CSM BH04	CSM_BH04	23/11/2021	Normal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CSM BH06	CSM_BH06	25/11/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
CSM BH08	CSM_BH08	24/11/2021	Normal	<0.01	<0.01	<0.01	0.2	0.2	0.4	0.3	0.4	0.2	<0.01	0.2	<0.01	0.2	0.3	2.6	-	-	-	-	-	-	-
QC01	CSM_BH08	24/11/2021	Field_D	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
CSM BH10S	CSM_BH10S	23/11/2021	Normal	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	-	-	-	-	-	-
CSM BH12S	CSM_BH12S	24/11/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
QC02	CSM_BH12S	24/11/2021	Interlab_D	<0.1	<0.1	<0.1	<0.1	<0.05	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.05	<0.05	<0.1	<0.1	<0.1	<0.1	<0.1	
CSM BH13	CSM_BH13	25/11/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
CSM BH14S	CSM_BH14S	25/11/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
GASW BH10	GASW_BH10	24/11/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
GASW BH23	GASW_BH23	23/11/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
SRT BH047	SRT_BH047	24/11/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
SRT BH050	SRT_BH050	25/11/2021	Normal	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	-	-	-	-	-	-	
SRT BH052	SRT_BH052	24/11/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-



Table 1
Summary of Groundwater Analytical Results - November 2021

	Phenols - Halogenated									Phenols - Non-Halogenated									Herbicides	SVOCs		
	2-Chlorophenol	2,4-Dichlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,6-Dichlorophenol	4-Chloro-3-methylphenol	Pentachlorophenol	tetrachlorophenols	Phenols(halogenated) - Lab Calc	Phenol	2-Nitrophenol	2-Methylphenol (o-Cresol)	3,4-Methylphenol (m,p-cresol)	2,4-Dimethylphenol	2,4-Dinitrophenol	4,6-Dinitro-2-methylphenol	4,6-Dinitro-o-cyclohexyl phenol	4-Nitrophenol			Cresol Total	Phenols (Total Non Halogenated)
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EQL	3	3	10	10	3	10	10	30	10	3	10	3	6	3	30	30	100	30	10	100	100	0.1
ADWG 2011 Recreational (v3.6 updated 2021)	3000	2000		200			100															
ANZG (2018) - MW - 95% species protection (updated 1/10/2021)							22			400												
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																						
2-4m																						
4-8m																						
>8m																						

Field_ID	Location_Code	Sampled_Date_Time	Sample_Type	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
CSM BH02	CSM_BH02	25/11/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
CSM BH04	CSM_BH04	23/11/2021	Normal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CSM BH06	CSM_BH06	25/11/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
CSM BH08	CSM_BH08	24/11/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
QC01	CSM_BH08	24/11/2021	Field_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CSM BH10S	CSM_BH10S	23/11/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
CSM BH12S	CSM_BH12S	24/11/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
QC02	CSM_BH12S	24/11/2021	Interlab_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.1
CSM BH13	CSM_BH13	25/11/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
CSM BH14S	CSM_BH14S	25/11/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
GASW BH10	GASW_BH10	24/11/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
GASW BH23	GASW_BH23	23/11/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
SRT BH047	SRT_BH047	24/11/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
SRT BH050	SRT_BH050	25/11/2021	Normal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SRT BH052	SRT_BH052	24/11/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-