



Table 2
Summary of Groundwater Field Parameters - December 2021

Well ID	Sampling Event	Date Measured	SWL (mbTOC)	BOC (mbTOC)	Dissolved Oxygen (ppm)	Electrical Conductivity (us/cm)	pH	Ox-Red Potential (mV)	Temperature (°C)	Comments
CSM_BH02	Event 39 - Dec 2021	14/12/2021	25.785	32.81	2.37	937	6.76	93.3	20.4	Brown-red, cloudy, no odour/sheen
CSM_BH04	Event 39 - Dec 2021	14/12/2021	21.525	33.23	3.93	508	5.8	21.2	21.1	Light brown, turbid, high sediments, no odour/sheen
CSM_BH06	Event 39 - Dec 2021	15/12/2021	25.875	35.43	1.5	1080	6.07	32.2	29.1	Orange, slightly cloudy, no odour/sheen
CSM_BH08	Event 39 - Dec 2021	16/12/2021	18.025	35.16	2.52	604	6.2	8.4	21	Orange, cloudy, high sediment, no odour/sheen
CSM_BH10S	Event 39 - Dec 2021	14/12/2021	4.11	9.825	2.09	231.8	5.13	235.8	21.3	Clear, no odour/sheen
CSM_BH12S	Event 39 - Dec 2021	14/12/2021	4.635	6.6	0.33	589	5.7	34.1	20.2	Brown, slightly cloudy, no odour/sheen
CSM_BH13	Event 39 - Dec 2021	15/12/2021	22.09	33.67	0.69	1037	5.8	67.8	23.6	Red orange, cloudy, no odour/sheen
CSM_BH14S	Event 39 - Dec 2021	15/12/2021	2.49	5.72	2.17	151.2	6.38	118.2	20.4	Clear, no odour/sheen
GASW_BH7	Event 39 - Dec 2021	14/12/2021	DRY	6.335	-	-	-	-	-	DRY
GASW_BH10	Event 39 - Dec 2021	14/12/2021	23.68	25.25	-	-	-	-	-	Light grey, cloudy, slight organic odour, no sheen (grab sample taken)
GASW_BH23	Event 39 - Dec 2021	14/12/2021	2.35	3.98	0.09	465	6.79	-131.2	21.1	Grey, cloudy, hydrocarbon odour, slight sheen
SRT_BH047	Event 39 - Dec 2021	16/12/2021	3.66	7.015	2.56	181.5	5.37	246.8	19.6	Light grey and brown, slightly cloudy, no odour/sheen
SRT_BH050	Event 39 - Dec 2021	15/12/2021	2.435	2.78	-	-	-	-	-	Clear to orange, no odour/sheen (grab sample taken)
SRT_BH052	Event 39 - Dec 2021	16/12/2021	6.01	8.05	3.88	254.1	5.57	220	19.8	Clear, no odour/sheen



Table 1
Summary of Groundwater Analytical Results - December 2021

	Inorganics			Cyanide	Acidity & Alkalinity					Major Ions						Nutrients	Metals								
	pH (Lab)	Total Dissolved Solids	Total Suspended Solids	Cyanide (Total)	Alkalinity (Carbonate as CaCO3)	Alkalinity (Bicarbonate as CaCO3)	Alkalinity (Hydroxide as CaCO3)	Alkalinity (total as CaCO3)	Hardness as CaCO3	Calcium	Magnesium	Potassium	Sodium	Chloride	Sulfate	Ammonia as N	Arsenic (Filtered)	Cadmium (Filtered)	Chromium (III+VI) (Filtered)	Copper (Filtered)	Lead (Filtered)	Manganese (Filtered)	Mercury (Filtered)	Nickel (Filtered)	Zinc (Filtered)
	pH units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
EQL	0.1	10	5	0.004	10	20	20	20	5	0.5	0.5	0.5	0.5	1	5	0.01	0.001	0.0002	0.001	0.001	0.001	0.005	0.0001	0.001	0.005
ADWG 2011 Recreational (v3.6 updated 2021)				0.8										5000		0.1	0.02		20	0.1	5	0.01	0.2		
ANZG (2018) - MW - 95% species protection (updated 1/10/2021)				0.004											0.91		0.0055	0.0044	0.0013	0.0044			0.0004	0.07	0.008
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																									
2-4m																									
4-8m																									
>8m																									

Field_ID	Location_Code	Sampled_Date_Time	Sample_Type	pH	TDS	TSS	Cyanide	Alk1	Alk2	Alk3	Alk4	Hardness	Calcium	Magnesium	Potassium	Sodium	Chloride	Sulfate	Ammonia	Arsenic	Cadmium	Chromium	Copper	Lead	Manganese	Mercury	Nickel	Zinc
CSM_BH02	CSM_BH02	14/12/2021	Normal	8.5	520	630	<0.004	21	290	<20	310	250	41	36	5.1	99	160	28	0.01	<0.001	<0.0002	<0.001	0.003	<0.001	0.005	<0.0001	0.012	0.13
CSM_BH04	CSM_BH04	14/12/2021	Normal	7.6	140	1300	0.005	<10	92	<20	92	95	10	17	2.8	55	87	22	0.05	<0.001	<0.0002	<0.001	<0.001	<0.001	0.39	<0.0001	0.01	0.23
CSM_BH06	CSM_BH06	15/12/2021	Normal	7.6	510	920	<0.004	<10	130	<20	130	200	31	30	5.1	94	240	23	<0.01	<0.001	<0.0002	<0.001	0.002	<0.001	0.51	<0.0001	0.016	0.26
CSM_BH08	CSM_BH08	16/12/2021	Normal	8.1	350	550	<0.004	<10	120	<20	120	110	12	18	4.2	75	110	47	0.03	<0.001	<0.0002	<0.001	<0.001	<0.001	0.43	<0.0001	0.003	0.3
CSM_BH10S	CSM_BH10S	14/12/2021	Normal	6.8	150	29	<0.004	<10	<20	<20	<20	40	4.9	6.8	2.8	26	25	60	<0.01	<0.001	<0.0002	<0.001	<0.001	<0.001	0.64	<0.0001	0.002	<0.005
QC01	CSM_BH10S	14/12/2021	Field_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	<0.0002	<0.001	<0.001	<0.001	-	<0.0001	0.002	<0.005
CSM_BH12S	CSM_BH12S	14/12/2021	Normal	7.7	350	120	<0.004	<10	59	<20	59	29	2	5.9	2.1	99	73	130	0.02	0.002	<0.0002	<0.001	<0.001	<0.001	0.67	<0.0001	0.016	0.065
CSM_BH13	CSM_BH13	15/12/2021	Normal	7.5	590	99	<0.004	<10	200	<20	200	250	57	27	6	120	210	40	<0.01	0.001	<0.0002	<0.001	0.002	<0.001	0.67	<0.0001	0.038	0.66
QC02	CSM_BH13	15/12/2021	Interlab_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.001	<0.0001	<0.001	<0.001	<0.001	-	<0.0001	0.033	0.572
CSM_BH14S	CSM_BH14S	15/12/2021	Normal	7.5	110	<5	<0.004	<10	43	<20	43	56	17	3.1	1.7	9.8	25	5.4	<0.01	<0.001	<0.0002	<0.001	<0.001	<0.001	<0.005	<0.0001	<0.001	<0.005
GASW_BH10	GASW_BH10	14/12/2021	Normal	-	-	-	<0.004	-	-	-	-	390	83	43	10	110	-	-	0.03	<0.001	<0.0002	<0.001	<0.001	<0.001	0.12	<0.0001	0.001	0.006
GASW_BH23	GASW_BH23	14/12/2021	Normal	7.7	330	13	<0.004	<10	160	<20	160	230	81	6.1	5.9	15	12	79	0.26	0.002	<0.0002	<0.001	<0.001	<0.001	0.19	<0.0001	<0.001	0.011
SRT_BH047	SRT_BH047	16/12/2021	Normal	6.6	140	68	0.005	<10	<20	<20	<20	43	5.4	7.1	0.6	17	18	14	<0.01	<0.001	<0.0002	0.005	0.005	<0.001	0.022	<0.0001	0.004	0.034
SRT_BH050	SRT_BH050	15/12/2021	Normal	4.7	100	1400	<0.004	<10	<20	<20	<20	54	17	3.1	5.6	11	11	44	<0.01	<0.001	<0.0002	<0.001	0.005	<0.001	0.024	<0.0001	0.002	0.015
SRT_BH052	SRT_BH052	16/12/2021	Normal	7.2	130	41	<0.004	<10	24	<20	24	60	17	4	1.8	43	42	23	<0.01	<0.001	<0.0002	<0.001	0.006	<0.001	<0.005	<0.0001	0.02	0.006



Table 1
Summary of Groundwater Analytical Results - December 2021

	Iron speciation	BTEXN								TRH - NEPM 2013							I - NEPM 2013 - SG Clea				TRH - NEPM 1999				I - NEPM 1999 - SG Clea					
	Ferrous Iron	Benzene	Toluene	Ethylbenzene	Xylene (o)	Xylene (m & p)	Xylene Total	BTEX (Sum of Total) - Lab Calc	Naphthalene (BTEXN suite)	F1 (C6-C10 minus BTEX)	C6-C10 Fraction	F2 (>C10-C16 minus Naphthalene)	>C10-C16 Fraction	F3 (>C16-C34 Fraction)	F4 (>C34-C40 Fraction)	>C10-C40 (Sum of Total)	>C10-C16 SG Cleanup	>C16-C34 SG Cleanup	>C34-C40 SG Cleanup	>C10-C40 (sum) SG Cleanup	C6-C9 Fraction	C10-C14 Fraction	C15-C28 Fraction	C29-C36 Fraction	C10-C36 (Sum of Total)	C10-C14 SG Cleanup	C15-C28 SG Cleanup	C29-C36 SG Cleanup	C10-C36 (sum) SG Cleanup	
EQL	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
ADWG 2011 Recreational (v3.6 updated 2021)		10	8000	3000			6000																							
ANZG (2018) - MW - 95% species protection (updated 1/10/2021)		700	180	80				70																						
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																														
2-4m		5000	NL	NL			NL	NL	6000	NL																				
4-8m		5000	NL	NL			NL	NL	6000	NL																				
>8m		5000	NL	NL			NL	NL	7000	NL																				

Field_ID	Location_Code	Sampled_Date_Time	Sample_Type		<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
CSM_BH02	CSM_BH02	14/12/2021	Normal	<0.05	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
CSM_BH04	CSM_BH04	14/12/2021	Normal	6.8	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
CSM_BH06	CSM_BH06	15/12/2021	Normal	1.6	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
CSM_BH08	CSM_BH08	16/12/2021	Normal	4.7	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
CSM_BH10S	CSM_BH10S	14/12/2021	Normal	<0.05	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
QC01	CSM_BH10S	14/12/2021	Field_D	-	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	-	-	-	-	<20	<50	<100	<100	<100	-	-	-	-
CSM_BH12S	CSM_BH12S	14/12/2021	Normal	7.3	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
CSM_BH13	CSM_BH13	15/12/2021	Normal	3.2	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
QC02	CSM_BH13	15/12/2021	Interlab_D	-	<1	<2	<2	<2	<2	<2	<1	<5	<20	<20	<100	<100	<100	<100	<100	-	-	-	-	<20	<50	<100	<50	<50	-	-	-	-
CSM_BH14S	CSM_BH14S	15/12/2021	Normal	<0.05	<1	<1	<1	<1	<2	<3	-	<10	20	20	<50	<50	<100	<100	<100	<50	<100	<100	<100	20	<50	<100	<100	<100	<50	<100	<100	<100
GASW_BH10	GASW_BH10	14/12/2021	Normal	3.3	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
GASW_BH23	GASW_BH23	14/12/2021	Normal	6.4	20	<1	<1	<1	<2	<3	-	<10	30	50	<50	<50	<100	<100	<100	<50	<100	<100	<100	50	<50	<100	<100	<100	<50	<100	<100	<100
SRT_BH047	SRT_BH047	16/12/2021	Normal	<0.05	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
SRT_BH050	SRT_BH050	15/12/2021	Normal	<0.05	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100
SRT_BH052	SRT_BH052	16/12/2021	Normal	<0.05	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100



Table 1
Summary of Groundwater Analytical Results - December 2021

	PAHs - standard 16																		PAHs - extended				
	Acenaphthene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benzo(a)pyrene	Benzo[b+g]fluoranthene	Benzo(k)fluoranthene	Benzo(g,h,i)perylene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-c,d)pyrene	Naphthalene-PAH	Phenanthrene	Pyrene	PAHs (Sum of total) - Lab calc	Total 8 PAHs (as BaP TEQ)(zero LOR) - Lab Calc	2-methylnaphthalene	3-methylcholanthrene	7,12-dimethylbenz(a)anthracene	Benzo(e)pyrene	Perylene
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EQL	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.05	0.1	0.1	0.1	0.1	0.1
ADWG 2011 Recreational (v3.6 updated 2021)					0.1																		
ANZG (2018) - MW - 95% species protection (updated 1/10/2021)					0.2						1.4			70	2								
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																							
2-4m													NL										
4-8m													NL										
>8m													NL										

Field_ID	Location_Code	Sampled_Date_Time	Sample_Type	Acenaphthene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benzo(a)pyrene	Benzo[b+g]fluoranthene	Benzo(k)fluoranthene	Benzo(g,h,i)perylene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-c,d)pyrene	Naphthalene-PAH	Phenanthrene	Pyrene	PAHs (Sum of total) - Lab calc	Total 8 PAHs (as BaP TEQ)(zero LOR) - Lab Calc	2-methylnaphthalene	3-methylcholanthrene	7,12-dimethylbenz(a)anthracene	Benzo(e)pyrene	Perylene
CSM_BH02	CSM_BH02	14/12/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
CSM_BH04	CSM_BH04	14/12/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
CSM_BH06	CSM_BH06	15/12/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	0.03	-	-	-	-	-	-
CSM_BH08	CSM_BH08	16/12/2021	Normal	0.02	0.06	0.05	0.37	0.63	0.51	0.41	0.52	0.55	0.11	0.5	0.02	0.49	0.04	0.14	0.64	5.06	-	-	-	-	-	-
CSM_BH10S	CSM_BH10S	14/12/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	0.01	-	-	-	-	-	-
QC01	CSM_BH10S	14/12/2021	Field_D	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
CSM_BH12S	CSM_BH12S	14/12/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	0.01	-	-	-	-	-	-
CSM_BH13	CSM_BH13	15/12/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
QC02	CSM_BH13	15/12/2021	Interlab_D	<0.1	<0.1	<0.1	<0.1	<0.05	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.05	<0.05	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
CSM_BH14S	CSM_BH14S	15/12/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
GASW_BH10	GASW_BH10	14/12/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
GASW_BH23	GASW_BH23	14/12/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
SRT_BH047	SRT_BH047	16/12/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
SRT_BH050	SRT_BH050	15/12/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
SRT_BH052	SRT_BH052	16/12/2021	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-



Table 1
Summary of Groundwater Analytical Results - December 2021

	Phenols - Halogenated									Phenols - Non-Halogenated									Herbicides	SVOCs		
	2-Chlorophenol	2,4-Dichlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,6-Dichlorophenol	4-Chloro-3-methylphenol	Pentachlorophenol	tetrachlorophenols	Phenols(halogenated) - Lab Calc	Phenol	2-Nitrophenol	2-Methylphenol (o-Cresol)	3,4-Methylphenol (m,p-cresol)	2,4-Dimethylphenol	2,4-Dinitrophenol	4,6-Dinitro-2-methylphenol	4,6-Dinitro-o-cyclohexyl phenol	4-Nitrophenol			Cresol Total	Phenols (Total Non Halogenated)
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EQL	3	3	10	10	3	10	10	30	10	3	10	3	6	3	30	30	100	30	10	100	100	0.1
ADWG 2011 Recreational (v3.6 updated 2021)	3000	2000		200			100															
ANZG (2018) - MW - 95% species protection (updated 1/10/2021)						22			400													
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																						
2-4m																						
4-8m																						
>8m																						

Field_ID	Location_Code	Sampled_Date_Time	Sample_Type	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
CSM_BH02	CSM_BH02	14/12/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
CSM_BH04	CSM_BH04	14/12/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
CSM_BH06	CSM_BH06	15/12/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
CSM_BH08	CSM_BH08	16/12/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
CSM_BH10S	CSM_BH10S	14/12/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
QC01	CSM_BH10S	14/12/2021	Field_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CSM_BH12S	CSM_BH12S	14/12/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
CSM_BH13	CSM_BH13	15/12/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
QC02	CSM_BH13	15/12/2021	Interlab_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.1
CSM_BH14S	CSM_BH14S	15/12/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
GASW_BH10	GASW_BH10	14/12/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
GASW_BH23	GASW_BH23	14/12/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
SRT_BH047	SRT_BH047	16/12/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
SRT_BH050	SRT_BH050	15/12/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
SRT_BH052	SRT_BH052	16/12/2021	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-