



**Table 2**  
**Summary of Groundwater Field Parameters - March 2022**

Well ID	Sampling Event	Date Measured	SWL (mbTOC)	BOC (mbTOC)	Dissolved Oxygen (ppm)	Electrical Conductivity (us/cm)	pH	Ox-Red Potential (mV)	Temperature (°C)	Comments
CSM_BH02	Event 42 - Mar 2022	18/03/2022	25.325	32.96	1.95	851	6.72	-85.7	21.1	Brown, cloudy, no odour/sheen
CSM_BH04	Event 42 - Mar 2022	16/03/2022	21.35	32.77	0.8	449.1	6.05	-75.4	22.1	Orange brown, cloudy, no odour, very slight sheen
CSM_BH06	Event 42 - Mar 2022	17/03/2022	25.35	35.88	0.8	945	6.27	-84.5	22.9	Brown, cloudy, no odour/sheen
CSM_BH08	Event 42 - Mar 2022	17/03/2022	17.465	35.36	0.28	607	6.1	-123.2	21	Brown and orange, no odour, very slight sheen
CSM_BH10S	Event 42 - Mar 2022	16/03/2022	3.48	9.7	0.28	234	5.15	-78.5	21.9	Clear to slightly cloudy, no odour, slight sheen
CSM_BH12S	Event 42 - Mar 2022	18/03/2022	4.44	6.51	0.28	596	5.96	-98.6	20.9	Brown, cloudy, no odour/sheen
CSM_BH13	Event 42 - Mar 2022	17/03/2022	21.87	34.07	0.7	913	6.37	-100.4	22.2	Orange brown, some sediments, no odour/sheen
CSM_BH14S	Event 42 - Mar 2022	17/03/2022	2.485	5.65	0.74	192.5	6.57	-111.2	23.7	Orange brown, cloudy, no odour/sheen
GASW_BH10	Event 42 - Mar 2022	18/03/2022	23.632	24.73	1.03	1109	6.87	-161.4	21.7	Grey, cloudy, some sediment, sulfur odour, no sheen (grab sample taken)
SRT_BH047	Event 42 - Mar 2022	16/03/2022	3.225	7.03	2.82	177	4.93	-35.8	20.5	Clear, no odour/sheen
SRT_BH050	Event 42 - Mar 2022	16/03/2022	2.075	2.79	5.72	223	4.78	5.2	22.7	Clear, no odour/sheen (grab sample taken)
SRT_BH052	Event 42 - Mar 2022	16/03/2022	4.836	7.92	4.15	241	4.92	-10.2	20.5	Clear, no odour/sheen



Table 1  
Summary of Groundwater Analytical Results - March 2022

	Inorganics			Cyanide	Acidity & Alkalinity					Major Ions						Nutrients	Metals								
	pH (Lab)	Total Dissolved Solids	Total Suspended Solids	Cyanide (Total)	Alkalinity (Carbonate as CaCO3)	Alkalinity (Bicarbonate as CaCO3)	Alkalinity (Hydroxide as CaCO3)	Alkalinity (total as CaCO3)	Hardness as CaCO3	Calcium	Magnesium	Potassium	Sodium	Chloride	Sulfate	Ammonia as N	Arsenic (Filtered)	Cadmium (Filtered)	Chromium (III+VI) (Filtered)	Copper (Filtered)	Lead (Filtered)	Manganese (Filtered)	Mercury (Filtered)	Nickel (Filtered)	Zinc (Filtered)
	pH units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
EQL	0.1	10	5	0.004	10	20	20	20	5	0.5	0.5	0.5	0.5	1	5	0.01	0.001	0.0002	0.001	0.001	0.001	0.0005	0.0001	0.001	0.005
ADWG 2011 Recreational (v3.7 updated 2022)				0.8											5000	0.1	0.02		20	0.1	5	0.01	0.2		
ANZG (2018) - MW - 95% species protection (updated 1/10/2021)				0.004											0.91		0.0055	0.0044	0.0013	0.0044		0.0004	0.07	0.008	
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																									
2-4m																									
4-8m																									
>8m																									

Field_ID	Location_Code	Sampled_Date_Time	Sample_Type	pH	TDS	TSS	Cyanide	Alk1	Alk2	Alk3	Alk4	Hardness	Calcium	Magnesium	Potassium	Sodium	Chloride	Sulfate	Ammonia	Arsenic	Cadmium	Chromium	Copper	Lead	Manganese	Mercury	Nickel	Zinc	
CSM_BH02	CSM_BH02	18/03/2022	Normal	7.4	470	630	<0.004	<10	340	<20	340	230	35	34	5.5	100	140	24	<0.01	<0.001	<0.0002	<0.001	<0.001	<0.001	<0.001	0.018	<0.0001	0.01	0.026
CSM_BH04	CSM_BH04	16/03/2022	Normal	6.7	260	330	<0.004	<10	120	<20	120	76	8.2	13	2.9	69	71	36	<0.01	<0.001	<0.0002	<0.001	<0.001	<0.001	<0.001	0.41	<0.0001	0.027	0.13
CSM_BH06	CSM_BH06	17/03/2022	Normal	7.4	520	65	<0.004	<10	160	<20	160	190	26	29	5.4	110	200	21	<0.01	<0.001	<0.0002	<0.001	0.022	<0.001	<0.001	0.38	<0.0001	0.009	0.094
CSM_BH08	CSM_BH08	17/03/2022	Normal	6.8	350	6.7	<0.004	<10	160	<20	160	100	9.8	19	4.4	85	100	44	<0.01	<0.001	<0.0002	<0.001	<0.001	<0.001	<0.001	0.42	<0.0001	0.007	0.043
CSM_BH10S	CSM_BH10S	16/03/2022	Normal	5.8	150	32	0.006	<10	35	<20	35	41	5.3	6.6	2.9	30	24	51	<0.01	<0.001	<0.0002	<0.001	<0.001	<0.001	<0.001	0.61	<0.0001	0.002	0.007
QC01	CSM_BH10S	16/03/2022	Field_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	<0.0002	<0.001	<0.001	<0.001	<0.001	-	<0.0001	0.002	0.006
CSM_BH12S	CSM_BH12S	18/03/2022	Normal	6.3	360	70	<0.004	<10	92	<20	92	27	2.1	5.3	2	110	66	130	<0.01	0.003	<0.0002	<0.001	<0.001	<0.001	<0.001	0.63	<0.0001	0.012	0.047
CSM_BH13	CSM_BH13	17/03/2022	Normal	7	520	39	<0.004	<10	130	<20	130	180	35	23	4.9	140	190	33	<0.01	<0.001	<0.0002	<0.001	0.002	<0.001	<0.001	0.52	<0.0001	0.023	0.059
CSM_BH14S	CSM_BH14S	17/03/2022	Normal	7.2	110	6.9	<0.004	<10	90	<20	90	73	22	4.5	2.6	12	16	6.4	<0.01	<0.001	<0.0002	<0.001	<0.001	<0.001	<0.001	0.028	<0.0001	<0.001	<0.005
GASW_BH10	GASW_BH10	18/03/2022	Normal	7	640	1400	<0.004	<10	480	<20	480	300	64	34	11	110	190	<5	<0.01	0.002	<0.0002	<0.001	<0.001	<0.001	<0.001	0.11	<0.0001	<0.001	<0.005
SRT_BH047	SRT_BH047	16/03/2022	Normal	5.7	120	19	<0.004	<10	<20	<20	<20	42	5.4	7	0.7	19	17	12	2.4	<0.001	<0.0002	<0.001	<0.001	<0.001	<0.001	0.018	<0.0001	0.004	0.032
SRT_BH050	SRT_BH050	16/03/2022	Normal	5	150	30	<0.004	<10	<20	<20	<20	74	25	3	5.9	11	11	40	<0.01	<0.001	<0.0002	<0.001	<0.001	<0.001	<0.001	0.013	<0.0001	<0.001	0.01
SRT_BH052	SRT_BH052	16/03/2022	Normal	5.6	150	5.4	0.004	<10	<20	<20	<20	30	5.8	3.8	0.8	38	40	15	<0.01	<0.001	<0.0002	<0.001	<0.001	<0.001	<0.001	0.02	<0.0001	<0.001	<0.005
QC02	SRT_BH052	16/03/2022	Interlab_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	<0.0001	<0.001	<0.001	<0.001	<0.001	-	<0.0001	<0.001	<0.005



Table 1  
Summary of Groundwater Analytical Results - March 2022

	Iron speciation	BTEXN								TRH - NEPM 2013							I - NEPM 2013 - SG Clea				TRH - NEPM 1999				I - NEPM 1999 - SG Clea				
	Ferrous Iron	Benzene	Toluene	Ethylbenzene	Xylene (o)	Xylene (m & p)	Xylene Total	BTEX (Sum of Total) - Lab Calc	Naphthalene (BTEXN suite)	F1 (C6-C10 minus BTEX)	C6-C10 Fraction	F2 (>C10-C16 minus Naphthalene)	>C10-C16 Fraction	F3 (>C16-C34 Fraction)	F4 (>C34-C40 Fraction)	>C10-C40 (Sum of Total)	>C10-C16 SG Cleanup	>C16-C34 SG Cleanup	>C34-C40 SG Cleanup	>C10-C40 (sum) SG Cleanup	C6-C9 Fraction	C10-C14 Fraction	C15-C28 Fraction	C29-C36 Fraction	C10-C36 (Sum of Total)	C10-C14 SG Cleanup	C15-C28	C29-C36 SG Cleanup	C10-C36 (sum) SG Cleanup
EQL	0.05	1	1	1	1	2	3	1	10	20	20	50	50	100	100	100	50	100	100	100	20	50	100	100	100	50	100	100	100
ADWG 2011 Recreational (v3.7 updated 2022)		10	8000	3000			6000																						
ANZG (2018) - MW - 95% species protection (updated 1/10/2021)		700	180	80				70																					
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																													
2-4m		5000	NL	NL			NL	NL	6000		NL																		
4-8m		5000	NL	NL			NL	NL	6000		NL																		
>8m		5000	NL	NL			NL	NL	7000		NL																		

Field_ID	Location_Code	Sampled_Date_Time	Sample_Type		<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100	
CSM_BH02	CSM_BH02	18/03/2022	Normal	0.13	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100	
CSM_BH04	CSM_BH04	16/03/2022	Normal	3.3	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100	
CSM_BH06	CSM_BH06	17/03/2022	Normal	0.73	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100	
CSM_BH08	CSM_BH08	17/03/2022	Normal	6.3	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100	
CSM_BH10S	CSM_BH10S	16/03/2022	Normal	0.14	<1	2	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100	
QC01	CSM_BH10S	16/03/2022	Field_D	-	<1	2	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	-	-	-	-	<20	<50	<100	<100	<100	-	-	-	-	
CSM_BH12S	CSM_BH12S	18/03/2022	Normal	7.7	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100	
CSM_BH13	CSM_BH13	17/03/2022	Normal	7.2	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100	
CSM_BH14S	CSM_BH14S	17/03/2022	Normal	0.17	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100	
GASW_BH10	GASW_BH10	18/03/2022	Normal	4.8	<1	<1	<1	<1	<2	<3	-	<10	<20	<20	1700	1700	300	<100	<100	2000	1700	100	<100	1800	<20	1400	700	<100	2100	1300	500	<100	1800
SRT_BH047	SRT_BH047	16/03/2022	Normal	0.11	<1	2	<1	<1	<2	<3	-	<10	<20	<20	140	140	<100	<100	140	100	<100	<100	100	<20	60	100	<100	160	<50	100	<100	100	
SRT_BH050	SRT_BH050	16/03/2022	Normal	0.07	<1	3	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100	
SRT_BH052	SRT_BH052	16/03/2022	Normal	0.09	<1	3	<1	<1	<2	<3	-	<10	<20	<20	<50	<50	<100	<100	<100	<50	<100	<100	<100	<20	<50	<100	<100	<100	<50	<100	<100	<100	
QC02	SRT_BH052	16/03/2022	Interlab_D	-	<1	2	<2	<2	<2	<2	2	<5	<20	<20	<100	<100	<100	<100	<100	-	-	-	-	<20	<50	<100	<50	<50	-	-	-	-	



Table 1  
Summary of Groundwater Analytical Results - March 2022

	PAHs - standard 16																	PAHs - extended					
	Acenaphthene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benzo(a)pyrene	Benzo[b+j]fluoranthene	Benzo(k)fluoranthene	Benzo(g,h,i)perylene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-c,d)pyrene	Naphthalene-PAH	Phenanthrene	Pyrene	PAHs (Sum of total) - Lab calc	Total 8 PAHs (as BaP TEQ)(zero LOR) - Lab Calc	2-methylnaphthalene	3-methylcholanthrene	7,12-dimethylbenz(a)anthracene	Benzo(e)pyrene	Perylene
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EQL	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.05	0.1	0.1	0.1	0.1	0.1
ADWG 2011 Recreational (v3.7 updated 2022)					0.1																		
ANZG (2018) - MW - 95% species protection (updated 1/10/2021)					0.2					1.4			70	2									
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																							
2-4m													NL										
4-8m													NL										
>8m													NL										

Field_ID	Location_Code	Sampled_Date_Time	Sample_Type	Acenaphthene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benzo(a)pyrene	Benzo[b+j]fluoranthene	Benzo(k)fluoranthene	Benzo(g,h,i)perylene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-c,d)pyrene	Naphthalene-PAH	Phenanthrene	Pyrene	PAHs (Sum of total) - Lab calc	Total 8 PAHs (as BaP TEQ)(zero LOR) - Lab Calc	2-methylnaphthalene	3-methylcholanthrene	7,12-dimethylbenz(a)anthracene	Benzo(e)pyrene	Perylene	
CSM_BH02	CSM_BH02	18/03/2022	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-	
CSM_BH04	CSM_BH04	16/03/2022	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
CSM_BH06	CSM_BH06	17/03/2022	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
CSM_BH08	CSM_BH08	17/03/2022	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
CSM_BH10S	CSM_BH10S	16/03/2022	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
QC01	CSM_BH10S	16/03/2022	Field_D	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
CSM_BH12S	CSM_BH12S	18/03/2022	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
CSM_BH13	CSM_BH13	17/03/2022	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
CSM_BH14S	CSM_BH14S	17/03/2022	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
GASW_BH10	GASW_BH10	18/03/2022	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
SRT_BH047	SRT_BH047	16/03/2022	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
SRT_BH050	SRT_BH050	16/03/2022	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
SRT_BH052	SRT_BH052	16/03/2022	Normal	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	-	-	-	-	-
QC02	SRT_BH052	16/03/2022	Interlab_D	<0.1	<0.1	<0.1	<0.1	<0.05	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.05	<0.05	<0.1	<0.1	<0.1	<0.1	<0.1	



Table 1  
Summary of Groundwater Analytical Results - March 2022

	Phenols - Halogenated									Phenols - Non-Halogenated									Herbicides	SVOCs		
	2-Chlorophenol	2,4-Dichlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,6-Dichlorophenol	4-Chloro-3-methylphenol	Pentachlorophenol	tetrachlorophenols	Phenols(halogenated) - Lab Calc	Phenol	2-Nitrophenol	2-Methylphenol (o-Cresol)	3,4-Methylphenol (m,p-cresol)	2,4-Dimethylphenol	2,4-Dinitrophenol	4,6-Dinitro-2-methylphenol	4,6-Dinitro-o-cyclohexyl phenol	4-Nitrophenol	Cresol Total	Phenols (Total Non Halogenated)	Dinoseb	Coronene
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EQL	3	3	10	10	3	10	10	30	10	3	10	3	6	3	30	30	100	30	10	100	100	0.1
ADWG 2011 Recreational (v3.7 updated 2022)	3000	2000		200																		
ANZG (2018) - MW - 95% species protection (updated 1/10/2021)							22			400												
NEPM 2013 Table 1A(4) HSL D Comm/Ind GW for Vapour Intrusion, Sand																						
2-4m																						
4-8m																						
>8m																						

Field_ID	Location_Code	Sampled_Date_Time	Sample_Type	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
CSM_BH02	CSM_BH02	18/03/2022	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
CSM_BH04	CSM_BH04	16/03/2022	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
CSM_BH06	CSM_BH06	17/03/2022	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
CSM_BH08	CSM_BH08	17/03/2022	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
CSM_BH10S	CSM_BH10S	16/03/2022	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
QC01	CSM_BH10S	16/03/2022	Field_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CSM_BH12S	CSM_BH12S	18/03/2022	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
CSM_BH13	CSM_BH13	17/03/2022	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
CSM_BH14S	CSM_BH14S	17/03/2022	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
GASW_BH10	GASW_BH10	18/03/2022	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	12	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
SRT_BH047	SRT_BH047	16/03/2022	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
SRT_BH050	SRT_BH050	16/03/2022	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
SRT_BH052	SRT_BH052	16/03/2022	Normal	<3	<3	<10	<10	<3	<10	<10	<30	<10	<3	<10	<3	<6	<3	<30	<30	<100	<30	<10	<100	<100	-
QC02	SRT_BH052	16/03/2022	Interlab_D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.1	